

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



data stores relational database LDAP directory O/R mapping translating

Search

[Advanced Search](#)
[Preferences](#)

Web Results **41 - 50** of about **722** for **data stores relational database LDAP directory O/R mapping translating** (0.15 seconds)

[Overkill A bloody action 2D deathmatch game in ASCII art. 11logger ...](#)

Castor Java to XML **data**-binding, Java **Data** Objects (O/R) and DSML. InterBase A **relational database** server and client. intercepty A TTY/serial port ...

www.idodds.com/foaf/data/freshmeat.rdf.gz - [Similar pages](#)

[\[PDF\] COPYRIGHTED MATERIAL](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

persistence framework—agnostic **data** access interfaces and implement them with the applications using a **relational database**. (Also, **O/R mapping** is not ...

media.wiley.com/product_data/excerpt/33/07645748/0764574833.pdf - [Similar pages](#)

[Galin Iliev \[Galcho\] Blog! - LINQ](#)

A **relational database** by leveraging the Entity Framework. capable of talking to Active **Directory** (and other **LDAP data** sources potentially) over **LDAP**. ...

www.galcho.com/Blog/CategoryView.aspx?category=LINQ - 329k - [Cached](#) - [Similar pages](#)

[Database Reading Group](#)

Title: **Map-reduce-merge**: simplified **relational data** processing on large clusters Title: A Unified Framework for **Data Translation** over the Web ...

datalab.cs.pdx.edu/dbrg/oldpapers.php - 125k - [Cached](#) - [Similar pages](#)

[\[PDF\] IBM WebSphere Developer Technical Journal](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Datasource JNDI name. 3. Define XML metadata. To **map** the **database** schema to SDO **data** graphs, mediator metadata must be defined. Figure 11. **O/R mapping** ...

download.boulder.ibm.com/ibmdl/pub/software/dw/wes/techjour/0510_techjournal.pdf - [Similar pages](#)

[Slashdot | Evolutionary Database Design](#)

These systems **store data** in basically the way described and follow most of the ... A **relational database** could assemble a schema on the fly (just like XML ...

slashdot.org/article.pl?sid=03/01/05/1435233 - 143k - [Cached](#) - [Similar pages](#)

[NHibernate - Relational Persistence for Idiomatic .NET](#)

Working with object-oriented software and a **relational database** can be cumbersome for how various **mapping** declarations **translate** to **database** tables. ...

www.hibernate.org/hib_docs/nhibernate/html_single/ - 530k - [Cached](#) - [Similar pages](#)

[September 2005 - Posts - Jeremy D. Miller -- The Shade Tree Developer](#)

One way we can make this test self-contained is to do the **database data** setup and take advantage of an **O/R mapping** tool for multi-**database** support. ...

codebetter.com/blogs/jeremy.miller/archive/2005/09.aspx - 190k - [Cached](#) - [Similar pages](#)

[Set definition language for relational data - Patent 20050050030](#)

The SDL server 100 is also comprised of an RDBMS (**Relational Database** Management e.g. an **LDAP** implementation (Shi, S. et al., "An enterprise **directory** ...

www.freepatentsonline.com/y2005/050030.html - 255k - [Cached](#) - [Similar pages](#)

[\[PDF\] ENTR/05/016 IUCLID 5 Design Model](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

1. **store data** in the Agency IUCLID **database** after sign up. 2. **store data** in the Agency Much effort has been put into Object-**Relational** (O/R) **mapping** ...

ec.europa.eu/enterprise/reach/docs/calis/entr_05_16-iuclid5_design_model.pdf - [Similar pages](#)

◀ G oooooooooooooooooo g l e ▶
Previous [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



data stores relational database LDAP directory O/R mapping translating

Search

[Advanced Search](#)
[Preferences](#)



Web Results **31 - 40** of about **722** for **data stores relational database LDAP directory O/R mapping translating** (0.29 seconds)

Introducing Amber, **Relational-to-Object Mapping** instead of ORM

Feb 3, 2006 ... In general I think R/O **mapping** is more natural than **O/R mapping** as applications to retrieve **data** from **relational stores** as objects. ...

www.theserverside.com/news/thread.tss?thread_id=38841 - 451k - [Cached](#) - [Similar pages](#)

EclipsePlugins : plugin search

Unlike many proprietary object/**relational mapping** tools, Kodo JDO provides datasource that allows connection to JDO **datastores** and execution of JDOQL ...

eclipse-plugins.info/eclipse/search.jsp?query=developers - 126k - [Cached](#) - [Similar pages](#)

What's New in WebLogic Server 10.0

A **database** is no longer required to **store** leasing information that is used For additional security and flexibility, WebLogic Server SNMP agents **map** ...

edocs.bea.com/wls/docs100/notes/new.html - 95k - [Cached](#) - [Similar pages](#)

free oracle forms download

Net file to access a **Data Base** (Oracle, Access, SQL Server, Access 2000 or later TierDeveloper is an object to **relational mapping** (**O/R mapping**) code ...

3d2f.com/tags/oracle/forms/ - 75k - [Cached](#) - [Similar pages](#)

[PDF] The SCM work session for the sub-function Human Resources Strategy ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Lightweight **Directory** Access Protocol (**LDAP**) - **LDAP** is a subset of X.500 **data-store** or **database**. Open **Database** Connectivity (ODBC) – provides a ...

www.opm.gov/egov/documents/architecture/HRLOBTMv1.pdf - [Similar pages](#)

RFCs in HTML Format

1697 **Relational Database** Management System (RDBMS) ManagementInformation Base 2164 Use of an X.500/**LDAP directory** to support MIXER address **mapping**. ...

rfc.actedomain.org/ - 250k - [Cached](#) - [Similar pages](#)

O

OpenLDAP is an open source suite of **LDAP** (Lightweight **Directory** Access Protocol) Object **Relational Database** Management System (DBMS, DB) From VERA ...

tidp.org/LDP/Linux-Dictionary/html/o.html - 173k - [Cached](#) - [Similar pages](#)

Linux Links - The Linux Portal: Java/Development/Libraries

A **data store** may be a **relational database**, XML files, or any other type of ... DORM4J (Dynamic Object-**Relational Mapping** for Java) is an **O/R mapping** library ...

www.linuxlinks.com/Java/Development/Libraries/index.shtml - 174k - [Cached](#) - [Similar pages](#)

Clemens Vasters - Technology

It's bottom up and the **data** (from whatever source) is king. Objects and classes are just tooling. For **O/R mapping**, the **database** is just tooling. ...

vasters.com/clemensv/CategoryView.category.Technology.aspx - 336k - [Cached](#) - [Similar pages](#)

Internet Official Protocol Standards Jun-13-2008 This page shows ...

Operation ----- Lightweight **Directory** Access Protocol (**LDAP**) 4530 Authentication Mechanisms 1731 RDBMS-MIB **Relational Database** Management System ...

www.isi.edu/in-notes/rfcxx00.txt - 250k - [Cached](#) - [Similar pages](#)



[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

data stores relational database LDAP directory O/R mapping translating

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



data stores relational database LDAP directory O/R mapping translating

Search

[Advanced Search](#)
[Preferences](#)



Web Results **11 - 20** of about **720** for **data stores relational database LDAP directory O/R mapping translating** (0.15 seconds)

Computer-Related Abbreviations and Acronyms

M MAC Media Access Control MAN Metropolitan Area Network **MAP** Maintenance System RDA Remote **Data** Access RDBMS **Relational DataBase** Management System RDN ...
www.guru3d.com/faq.php?cat=review&id=3 - 100k - [Cached](#) - [Similar pages](#)

OakLeaf Systems: April 2007

If the application's **data store**, usually a **relational database**, A system that facilitates object-**relational mapping** comprising the following ...
oakleafblog.blogspot.com/2007_04_01_archive.html - 320k - [Cached](#) - [Similar pages](#)

IETF Request For Comments (RFCs)

RFC 2164, P, Use of an X.500/**LDAP directory** to support MIXER address **mapping**. RFC 2294, P, Representing the **O/R** Address hierarchy in the X.500 **Directory** ...
www.imc.org/rfcs.html - 44k - [Cached](#) - [Similar pages](#)

Roxen Community: RFC 2600 Internet Official Protocol Standards ...

LDP Loader Debugger Protocol 909 RDP Reliable **Data** Protocol 908 NVP-II Network Voice ... or as required to **translate** it into languages other than English. ...
community.roxen.com/developers/docs/rfc/rfc2600.html - 95k - [Cached](#) - [Similar pages](#)

[doc] HHSC Service Oriented Architecture (SOA)/Utility Computing ...

File Format: Microsoft Word - [View as HTML](#)
Transparency, meaning the framework hides the **data-store** implementation Hibernate maps business objects to the **relational database** using an XML ...
architecture.hhsc.state.tx.us/.../documents/HHSC%20SOA_UCE%20Application%20StandardsV1.0doc.doc
- [Similar pages](#)

UCSB Directory Service | Glossary

data store (1) (n.) A **store** that contains **directory** information, typically for an **O/R mapping** tool (object-to-**relational database** tool) (n. ...
directoryproject.isc.ucsb.edu/dir-glossary.html - 302k - [Cached](#) - [Similar pages](#)

ApacheCon US 2006 Presentations

You can use the **database** to cache or even **store data** on the client, The introduction of these constructs within an **LDAP Directory** makes **LDAP** more ...
apachecon.com/2006/US/html/archive.html - 112k - [Cached](#) - [Similar pages](#)

RFC 2600

Use of an X.500/**LDAP directory** to support MIXER 2164 address **mapping** RDBMS-MIB **Relational Database** Management System (RDBMS) 1697: Management ...
www.apps.ietf.org/rfc/rfc2600.html - 94k - [Cached](#) - [Similar pages](#)

Network Working Group Internet Engineering Task Force Request for ...

... of an X.500/**LDAP directory** to support MIXER 2164 address **mapping** DNS-MCGAM 26] RFC 2800 Internet Standards May 2001 RDBMS-MIB **Relational Database** ...
[ftp://ftp.rfc-editor.org/in-notes/rfc2800.txt](http://ftp.rfc-editor.org/in-notes/rfc2800.txt) - 100k - [Cached](#) - [Similar pages](#)

[PDF] The ABAP Developer's Guide to Java

File Format: PDF/Adobe Acrobat
SAP calls this type of **mapping O/R mapping** (object/**relational mapping**). manager that represents a specific **data store** object—the **database**. ...
searchsap.techtarget.com/searchSAP/downloads/chapter-june.pdf - [Similar pages](#)



[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

data stores relational database LDAP directory O/R mapping translating

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



data stores relational database LDAP directory O/R mapping translating

Search

[Advanced Search](#)
[Preferences](#)

Web Results **1 - 10** of about **722** for **data stores relational database LDAP directory O/R mapping translating** (**0.31** seconds)

Java Skyline: Database

O/R Mapping and **database** engineering tools generally obtain metadata in some Generally, access to **relational data** is based on SQL (Structured Query ...

www.javaskyline.com/database.html - 108k - [Cached](#) - [Similar pages](#)

Alternate Data Storage Technologies

Apr 14, 2004 ... You want to avoid **O/R mapping** time and effort; You don't want to write the same They ended up using the file system as the **data store**. ...

www.io.com/~jmm/writing/alternate_storage.html - 41k - [Cached](#) - [Similar pages](#)

Glossary

Using Sun ONE **Directory** Server, a provided **LDAP** server, you can **store** all of your enterprise's ... **O/R mapping** tool Object-to-**relational** [**database**] tool. ...

docs.sun.com/source/817-2254-10/glos.html - 83k - [Cached](#) - [Similar pages](#)

InterSystems has released Cache 2007, a post-relational database

Nov 1, 2006 ... SQL Queries on Object with no **O/R Mapping**? by Gideon Low on Wed Nov 01 Extending Spring **LDAP** with an iBATIS-style XML **Data Mapper** ...

www.theserverside.com/news/thread.tss?thread_id=42902 - 101k - [Cached](#) - [Similar pages](#)

InfoQ: Patrick Linskey discusses OpenJPA and the JPA specification

Aug 23, 2007 ... A common paradigm in the JPA spec and **O/R mapping** in general, contributing non-**relational** implementations of what we call our "**store** ...

www.infoq.com/interviews/openjpa-patrick-linskey - 64k - [Cached](#) - [Similar pages](#)

[DOC] :

File Format: Microsoft Word - [View as HTML](#)

Semi-structured **data** is difficult to **store** in a **relational database** because it and performance problems created by object-**relational** (**O/R**) **Mapping**. ...

cs.ua.edu/set/StandardsAdvisor/Notes%20and%20documents/Vamshi%20Gillipalli/xmlrep1.doc - [Similar pages](#)

RFC2600

... of an X.500/**LDAP directory** to support MIXER 2164 address **mapping** DNS-MCGAM Authentication Mechanisms 1731 RDBMS-MIB **Relational Database** Management ...

rfc.net/rfc2600.html - 89k - [Cached](#) - [Similar pages](#)

[PDF] Microsoft PowerPoint - g22_3033_011_c71.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Data source layer obtains and saves information in a **data. store**. The decoupling allows reuse of domain **Map** CMP Entity Beans to a **Relational Database** ...

www.nyu.edu/classes/jcf/g22.3033-005/slides/session7/g22_3033_011_c71.pdf - [Similar pages](#)

DATABASE DEBUNKINGS - 2004 WEEKLY QUOTES


JPT: Have your original ideas about **O/R mapping** changed much since you embarked **Relational data** models are inherently inflexible. To **store** information ...

www.dbdebunk.com/quotes2004.html - 62k - [Cached](#) - [Similar pages](#)

The IQueryable tales - LINQ to LDAP - Part 1: Key concepts - B# ...

Building Custom LINQ Enabled **Data** Providers using IQueryable<T> ... LINQ to Active **Directory** (formerly known as LINQ to **LDAP**) is here ...

community.bartdesmet.net/.../archive/2007/04/06/the-iqueryable-theses-linq-to-ldap-part-1-key-concepts.aspx - 183k - [Cached](#) - [Similar pages](#)



1 2 3 4 5 6 7 8 9 10 **Next**

data stores relational database LDAP directory O/R mapping translating

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)